

A PRIORITY UPDATING COMMUNICATIONS MODEL FOR NETWORKED VIRTUAL ENVIRONMENTS

Yang-Wai Chow, Ronald Pose and Matthew Regan
*School of Computer Science and Software Engineering, Monash University
Clayton, 3800 Victoria, Australia*

ABSTRACT

The popularity and success of networked virtual environments in applications such as massively multiplayer online games has led to the development of very large-scale multi-user networked virtual environments. Such systems create virtual worlds where thousands of users, who might be physically located all over the globe, can interact together through the shared virtual environment. In order for users to collaborate and interact comfortably with one another, huge quantities of data have to be exchanged through the network so as to maintain consistency in the shared state of the virtual environment. The amount of data generated by these large-scale networked virtual environment systems place tremendous demands on the network, and limitations in terms of networking resources can degrade system performance by causing network congestions, which consequently result in message transmission delays. This in turn impedes user interaction, as these delays affect consistency in the shared state of the virtual environment. This paper investigates the implementation of a priority updating network communications model, designed to reduce the overall amount of network traffic and bandwidth utilization, whilst at the same time not greatly compromising on the real-time interactive nature of these large-scale multi-user virtual environments.

KEYWORDS

Multiplayer online gaming, network communications model, networked virtual environments, networking resources, priority updating, spatial partitioning.

1. INTRODUCTION

Networked virtual environments (net-VEs) are real-time simulations of synthetic virtual worlds where multiple users, who might be scattered all over the globe, may interact together through a shared sense of presence, space and time created by the virtual environment system [Singhal and Zyda 1999]. Net-VEs have been used across a number of diverse fields, in a variety of different applications ranging from military training simulations to collaborative workspaces and teleconferencing. The widespread popularity of net-VE applications nowadays, especially in the rapidly growing field of multiplayer online gaming, is the result of

advancements in various aspects of computing technology such as in 3D graphics accelerators, computer processors, broadband services, etc.

Massively Multiplayer Online Role Playing Games (MMORPGs) is an example of an extremely popular and lucrative genre of multiplayer online gaming. MMORPGs are very large-scale virtual worlds that create shared environments for thousands of users to interact together in real time. A user typically creates and controls an avatar, a virtual representation of the user in the world, and may interact with other users in the world as well as with the surrounding environment. MMORPGs are also known as persistent virtual worlds, as the world continues to remain in existence even when the player logs off [Seay et al. 2003]. Developers pour enormous resources into the development and maintenance of these large-scale net-VEs, as these online games can generate millions of dollars in revenue from monthly player subscription fees [Kirkke 2003].

The collaboration and socialization of participants in these large-scale persistent digital worlds form what is often known as virtual communities [Papargyris and Poulymenakou 2004]. In order to maintain collaboration and interactivity between participants of a net-VE, the shared state of the virtual world in the various distributed end-user systems must be kept reasonably consistent. The net-VE system must present the participants with the illusion that they are all in the same environment, and that they are all seeing the same things at the same time (albeit from a different vantage point), in order for them to interact comfortably with each other. The task of maintaining consistency between participating systems requires the frequent sending of update messages through the network regarding events that are happening in the virtual world. This becomes harder as the size of the virtual world and the number of participants increases, due to resource limitations in terms of network bandwidth, computational power and so on.

The huge volume of required information transfer between participating systems of large net-VEs can place tremendous demands on the bandwidth requirements of a system, which can lead to degradation in the system's performance. Large quantities of network traffic can result in network congestion, which can in turn cause delays in message update transmissions. Excessive network delays or latency have adverse effects on the usability of a net-VE system, and has a significant impact on the user's net-VE experience [Pantel and Wolf 2002a; Jehaes et al. 2003]. Therefore the challenge presented to net-VE developers is to design efficient network communication models around the limited resources for such large-scale systems. In dealing with networking constraints, net-VE developers are faced with the problem of having to reduce the amount of data exchanged over the network, whilst not compromising on interactivity among the various users and their surrounding environments.

The utilization of resources in a net-VE is directly related to the amount of information that has to be generated, transmitted and received by each host as well as how quickly that information must be delivered by the network. This has been defined as the networked virtual environment information principle [Singhal and Zyda 1999]. Many techniques have therefore been employed by net-VE systems to reduce the amount of information exchanged over the network, while at the same time maintaining reasonable consistency in the shared state of the virtual world, some examples of these techniques are described in the previous work section below. This paper investigates the implementation of a network communications model for large-scale multi-user networked virtual environments. We call this model priority updating.

2. MOTIVATION

The framework for the priority updating network communications approach presented in this paper is based on a previously designed priority rendering technique. Priority rendering is a rendering technique that was developed with the aim of reducing the overall rendering load [Regan and Pose 1994]. This technique was devised to be used in conjunction with a specialized graphics display architecture known as the Address Recalculation Pipeline (ARP), which was designed for the purpose of reducing the end-to-end latency suffered by immersive Head Mounted Display (HMD) virtual reality systems [Regan and Pose 1993]. A fundamental characteristic of the ARP virtual reality system is that the scene surrounding the user's head has to be pre-rendered into display memory. The system then maps relevant sections of the scene from display memory based on latest user head orientation feedback.

The concept behind priority rendering is that in the scene that encapsulates a user's head, parts of the scene that are located further away from the user can be updated and rendered at lower rates as compared to parts that are closer to the user, whilst still maintaining the illusion of reality. Techniques to further reduce the overall rendering load through the use of large object segmentation and region warping have also been investigated [Chow et al. 2005a]. A method of dividing the virtual world into regions, known as region priority rendering, was introduced to aid the organization and management of virtual world objects for priority rendering. Human visual perception experiments have also been conducted to investigate the fundamental issue of how human users might perceive and react to these techniques [Chow et al. 2006].

These previously implemented concepts form the basis for the priority updating model that is applied in this paper for the purposes of network communications. The primary goal of priority updating is to reduce the network traffic and bandwidth requirements of a net-VE system by decreasing the overall amount of necessary information exchanged over the network. This can be achieved by dividing the virtual world into regions, different regions can then be updated over the network at different rates. More details are provided in the system framework section.

3. PREVIOUS WORK

A number of network communications models have been used by various net-VE systems to govern the exchange of shared virtual environment data. These communication strategies often attempt to minimize or reduce the required amount of data transfer through the network. This section provides an overview of some of these techniques as employed by a variety of existing net-VE systems.

The SIMNET system, one of the earliest large-scale net-VEs, is a real-time distributed military virtual environment developed within the US department of defense [Calvin et al. 1993; Miller and Thorpe 1995]. The success of this system has in turn led to the establishing of the Distributed Interactive Simulation (DIS) standard. The fundamental goal of the DIS protocol was to define an infrastructure for linking simulations of multiple types, in other words to achieve interoperability between different systems built for separate purposes [Hofer and Loper 1995]. The DIS network software architecture introduced the use of the Protocol Data Unit (PDU) to regulate the exchange of data within the system. These PDUs contain

fixed fields of information used for communicating between participating systems. The most commonly used PDU is the entity state PDU used to carry data such as entity position, orientation, velocity, etc. [Singhal and Zyda 1999].

Dead reckoning algorithms were used in SIMNET to reduce packet traffic. Dead reckoning is a methodology used to predict and extrapolate the behaviors of entities based on their last received state update message, or in simpler terms to fill in the gaps between network update messages. Nine dead reckoning algorithms have been defined by the DIS standard, and the entity state PDUs themselves contain information fields for particular dead reckoning algorithms [Singhal and Zyda 1999]. Dead reckoning techniques have since been developed and used by others for a variety of net-VE applications, as a way of decreasing the amount of necessary message communications across the network whilst still maintaining reasonable consistency [Cai et al. 1999; Capin et al. 1999; Duncan and Gračanin 2003]. By predicting the behaviors of virtual world objects, dead reckoning smoothens the rendering of object movements and therefore has the effect of reducing the impact of network latency on user performance [Pantel and Wolf 2002b].

In large-scale virtual environments, the information relevant to an individual user will generally only be local in nature. This has led to several spatial partitioning and visibility culling techniques that have been adopted by some net-VE systems, in an effort to reduce the system's overall communication costs. The SPLINE system divides the entire virtual world into smaller chunks known as locales [Barrus et al. 1996]. The primary organizing principle behind this system lies in the use of these locales, as everything in the virtual world is either directly or indirectly contained within exactly one locale. A user will also be contained within a locale, and can move from one locale to another. The user will only be sent update messages from the relevant locales which concern that particular user, typically the neighboring locales.

Area-of-Interest (AOI) filtering is another virtual world spatial partitioning technique used in systems such as NPSNET [Macedonia et al. 1995], in order to decrease the amount of packets flowing through the network. In this approach the virtual world is divided into AOIs, where participating systems only establish communication channels and exchange information between other participating systems within the scope of their own AOI. Other net-VE systems like the RING system, decreases message passing by implementing visibility culling. This is a technique where irrelevant update information regarding the state of virtual world objects and other users that are either occluded or lie outside the scope of a user's field of view, are filtered out and not sent to that particular user's system [Funkhouser 1995].

Visibility culling has also been integrated with a scheduling strategy known as priority round-robin scheduling for very large-scale virtual environments [Faisstnauer et al. 2000]. The design of this scheduling scheme is aimed at managing the prioritizing of round-robin update messages sent to participating systems, in a manner that reduces the risk of starvation for update messages competing for networking resources. This approach has been used to reduce the number of messages transmitted over the network by using visibility information in the assigning of update message priorities.

The priority updating network communications model implemented in this paper, not only takes advantage of a virtual world's spatial characteristics but takes virtual world spatial partitioning a step further by allowing objects located in different sections of the virtual world to be updated over the network at different update rates. This approach differs from visibility culling efforts previously described above where occluded or distant objects are completely filtered out from the network update messages. Using this network communications model,

distant objects are merely updated less frequently. A more detailed description of this approach is provided in the following section.

The recent popularity of MMORPGs has also led researchers to propose and develop a variety of different network virtual environment architectures [Caltagirone et al. 2002; Matsumoto et al. 2004; Yamamoto et al. 2005]. These network architectures were designed specifically to cater for the requirements of MMORPGs in terms of performance, reliability, scalability, bandwidth utilization, etc. The characterization and measurement of the amount and nature of network traffic attributed to multiplayer online games has also been the topic of much research [Chen et al. 2005; Kim et al. 2005].

4. SYSTEM FRAMEWORK

This section provides a detailed description of the framework of the priority updating network communications model. The aim of priority updating is to reduce the overall amount of necessary update information sent through the network, in a manner that does not greatly affect the general performance of users interacting with their surroundings in the shared virtual environment. This is achieved by spatially dividing the entire virtual world into separate equally-sized regions, object updates for these regions can then be sent over the network at different update rates depending on how close these regions are from the user. Figure 1 illustrates the division of the virtual world into square or hexagon regions. This figure also depicts how virtual world objects located in the neighboring regions can be updated at different rates, with respect to the scope of a user's interaction range and viewing range. As a user crosses the boundary from one region into another, regions of relevance to the user should change as appropriate. Some precaution has to be taken in order to handle the situation where a user straddles the boundary between two regions. This is to avoid any potentially undesirable network behavior or computational irregularities, if a user continually moves back and forth between two regions.




Figure 1. Top-down view of a section of the virtual world partitioned into square or hexagon regions and their relative network update rates with respect to the user.

In trying to determine the network requirements of a net-VE system, it is important to consider user behavior in the net-VE [Greenhalgh 2001]. This is because the scope of user actions, or what users are allowed to do, in the net-VE often governs the network requirements of the system. In a typical net-VE application, the user is generally only allowed to interact

with objects or other users within his/her vicinity (many of the techniques described in the previous work section are also based on this fact). In this manner, it is acceptable if distant objects are slightly inaccurately represented on the display, as a user cannot interact with these objects until the user moves closer.

Therefore this approach of updating different objects at different rates is preferred over the alternative method used by some other net-VE systems of not displaying distant objects at all, thereby significantly cutting down the user's viewing range. In priority updating, even if the position or behavior of distant objects might be inaccurate, the simple fact that they are displayed to the user creates a more realistic and satisfying illusion of an extensive viewing range. Moreover as a user moves closer, the message updates for these previously distant objects will be sent at higher rates giving time for the user's system to correct any discrepancies in the objects' display, thus having little or no adverse effects on the user's interaction.

It is important to note that a user's interaction range is different from the user's viewing range, and that the region size should be larger than the user's interaction range. The size of the regions will have to be application specific, because the user's interaction range and viewing range will differ from application to application. The partitioning of the virtual world using other region shapes is also possible, as long as the chosen shape can comfortably cover the entire world leaving no gaps or overlaps. However, care should be taken in the choice of appropriate region shape and size for a particular application. The reason for this is because the chosen size and shape of the regions will have a bearing on the number of regions that the net-VE has to maintain and will also have an effect on the computational load required for the processing of region information.




Figure 2. Examples of two different region message update strategies.

Figure 2 shows examples of two different message update strategies that may be implemented for the different regions (refer to figure 1 for region locations with respect to the user). By using these update strategies, a participant's system will receive update messages for objects in regions closer to the user more frequently, as compared to update messages for objects at a distance. This also means that update messages for all objects within a user's viewing range do not have to be sent over the network upon every single update cycle. Other region update strategies may also be adopted depending on the appropriate frequency of object state updates acceptable or tolerable for a particular application.

The advantage of using this approach is that a user's scope of view is not diminished by culling the representation of distant objects. These distant objects are merely updated less frequently. The illusion of an extensive viewing range is important in maintaining a user's

sense of immersion in the virtual world. A user's sense of immersion is made up of two primary components; presence and co-presence. Presence is defined as the feeling of realistically being and interacting in the alternate reality portrayed by the virtual world, whereas co-presence is the awareness of sharing the environment with other users [Oliveira and Henderson 2003]. Therefore even if slightly inaccurate, the representation of distant objects contributes to the user's awareness of his/her surroundings, leading to a more immersive and satisfying experience. Awareness of others in a virtual environment is a vital part of collaborative virtual environments and has been defined by Dourish and Bellotti [1992] as 'an understanding the activities of others, which provides a context for your own activity'. This is especially important in large-scale multi-user networked virtual environments where thousands of users are present in the shared virtual world.

5. EXPERIMENTAL IMPLEMENTATION

Experimental simulations of a net-VE system implementing the priority updating framework described earlier were performed. There are two main network communication architectures used in net-VE systems, these are the client/server architecture and the peer-to-peer architecture. The aim of the experiment was to validate the fact that priority updating would decrease the overall amount of data transmitted through the network. Therefore with this goal in mind, using a client/server setup would allow for the monitoring of message update data sent from a centralized server system to the various client systems, rather than having to monitor the collective behavior of a group of individual peer systems in the peer-to-peer architecture. In light of this, the client/server architecture was chosen for the experiments. However, it should be noted that the priority updating framework may also be applied to a peer-to-peer system.




Figure 3. Virtual world regions and the different region update rates for a particular user.




Figure 4. Region update rates from an elevated client's perspective.

In the experiments, the server was responsible for coordinating the simulation of the large number of virtual world entities as well as the various users. The centralized server system had to transmit update messages to the individual client systems periodically regarding the status of objects in their surrounding environments. Update messages sent by the server over the network contained up-to-date object status information such as object identity, object type, current position and current translation vector, etc. The client systems merely collected input from the user concerning his/her actions and relayed this information to the server. The client systems also had to display the virtual world to the user. For simplicity's sake, square regions were used for the partitioning of the virtual world. Another advantage of spatially dividing the virtual world into regions is that it is possible to then distribute the processing of different virtual world regions across multiple servers. Different regions can be assigned to different servers in order to share and balance the computational load of managing large-scale virtual environments.

Three different methods were used in the simulations for generating and transmitting update messages from the server to the clients. In the first method, update messages were sent over the network for all objects located within a certain viewing radius from the user. Priority updating was implemented for the other two methods, using the two different region message update intervals that were previously shown in figure 2. Using the three different message update methods, measurements were taken of the average number of objects that were updated.

Figure 3 provides an overview of the virtual world simulation. It shows a top-down view of the various entities as coordinated by the server and also the division of the entire virtual world into square regions. Attention is drawn towards one particular user in the simulation. The different update rates of the regions surrounding the user are highlighted, and the

screenshot shows what that user was seeing at that point in time. Figure 4 is a depiction of the virtual world regions from an elevated user’s perspective, where the different region update rates for the objects are illustrated. From this figure, it can be seen that objects in the regions closer to the user are updated at a high rate while the objects located in regions further away are updated at lower rates.

The lower update rates for the distant objects are tolerable because the user can only see these objects but cannot immediately interact with them. In addition, from the user’s point of view objects located at a distance away from the user are much smaller in size as compared to close objects. Therefore inaccuracies in the portrayal of these faraway objects will not be so noticeable. The main thing is that through the representation of these distant objects, the user is visually aware of the presence of other users in the shared environment.

6. RESULTS AND DISCUSSION

Figure 5 is a graph of the average number of objects that were updated when using the three different object updating methods. It can be seen from the graph that the use of the priority updating network communications model achieves its intended objective, in that its implementation in a net-VE system considerably reduces the average number of object updates. The amount of data that has to be sent over the network is proportional to the number of objects that are updated. In this respect, the significant reductions in the number of object updates therefore also decreases the quantity of required information exchanged through the network, consequently resulting in reductions to the overall amount of network traffic and bandwidth utilization of the net-VE system.




Figure 5. Average number of objects that were updated.

Scalability of a net-VE system is extremely important when designing large-scale systems that are required to host a large number of users. The reductions in the overall network traffic and bandwidth utilization obtained from the use of priority updating, have the potential of making a net-VE system more scalable. This is because more users can connect to the net-VE system without threatening to degrade the system’s performance by overwhelming the limited resources available. In addition, the reduction in the amount of information transmitted through the network also decreases the likelihood of causing network congestion, which can further add to network latency by delaying messages from reaching their destinations.

Figure 6 shows a plot of the percentage savings in the average number of object updates, between the two priority updating cases as compared with the case without priority updating. The plot shows that adopting an update strategy where objects in the regions surrounding the user are updated less frequently, yields more savings in the amount of data transfer. However, there is a tradeoff between the overall amount of information transferred and the consistency in the virtual world state as seen by the various users. Therefore, although employing an update strategy with fewer object updates saves on the quantity of data exchanged, such update strategies can only be used for net-VE applications that do not required tight consistency in the representation of the virtual world among the individual user systems.




Figure 6. Percentage savings in the average number of objects updated using priority updating strategies.

The appropriate balance in this tradeoff has to be ascertained by a particular net-VE system's developers. A number of methods have been used to evaluate inconsistency in virtual environments, such as 'phase difference' [Lui et al. 1999] or 'drift distance' [Diot and Gautier 1999] between objects. A time-space inconsistency metric has been defined by [Zhou et al. 2004] in order to quantify the level of inconsistency in a distributed virtual environment system. The advantage of their approach is that the time-space consistency properties of the system in question can be estimated based on some characteristic parameters of the net-VE, without the actual execution of the real system. In this respect, this virtual world consistency estimation is especially useful for the system developers in the design phases of a particular net-VE system.

In view of the fact that in priority updating, an end-user system will only receive update messages regarding distant objects at certain intervals, the use of efficient dead reckoning algorithms in conjunction with this approach is essential in order to smoothen out the rendering of object movements. The prediction and extrapolation of object behaviors is even more important when factoring in network characteristics such as network jitter, data corruption and packet losses, which can potentially widen the gap between update messages and also cause message updates to arrive at irregular intervals.

Dead reckoning will also prevent objects from 'teleporting' from one location to another, as the sporadic status updates for these objects are received. The human visual perception is less sensitive to details of objects located at a distance away from the user's point of view, as discussed in Chow et al. [2005b]. Even if there are large discrepancies between the predicted behavior and actual behavior of distant objects, these errors can be corrected before the objects are within interaction range. This is because the user's system will begin to receive more frequent update messages concerning these objects as the user moves closer to them. In this

manner, the user's interaction with the virtual world object and other participants will not be compromised.

The underlying principles behind the priority updating concept can also be found in Level-of-Detail (LOD) management techniques for computer graphics. The basic idea of LOD techniques is to reduce the overall rendering bandwidth through the use of simpler, less complex, versions of an object's mesh in the visual representation of the object. For instance, spatial principles have been used to simplify the visual representation of distant objects. As these objects appear smaller in size and are generally of less interest to the user, the degradation in the representation of these objects will not have a great impact on the user. The simplified representation of these objects reduces the computation load and improves the performance of the graphics system. When the user moves closer to these objects, the LOD management system can switch to a more complex and detailed representation of the object [Reddy 1997].

As priority updating reduces the overall information exchange by sacrificing accuracy in the representation of distant objects in the virtual environment, this network communications model might not be suitable for net-VE applications that require tight consistency. For example, even slight inconsistencies in the representation of other users in the shared state of military training simulations might have a significant impact on a soldier's responses and performance. Nevertheless, this model provides an attractive method of reducing the overall network traffic for large-scale multi-user net-VE applications such as MMORPGs. This is because applications like MMORPGs do not require perfect consistency to maintain user interaction and satisfaction.

7. CONCLUSION

This paper has shown that the implementation of the priority updating approach in the network communication architecture of large-scale multi-user networked virtual environment systems, can lead to significant savings in the overall communication costs of the system. This update strategy has the advantage of transmitting less update information over the network, whilst still maintaining reasonable consistency in the shared state of the virtual world and not compromising on the interactivity between users and their surrounding environments. The reduction in the overall communication costs also improves the scalability of a net-VE system, by allowing for more participants to be able to immerse themselves in the shared virtual environment without degrading the system's performance.

The limitation of this priority updating strategy is that it sacrifices accuracy in the representation of distant virtual world objects, for the gain of requiring less data exchange. This approach is therefore only suitable for virtual environment applications where tight consistency between the virtual world's shared state among the various users is not essential for the usability of the virtual environment. Very large-scale networked virtual environment applications such as in Massively Multiplayer Online Role Playing Games (MMORPG) can potentially greatly benefit from the use of this network communication model. These virtual environments have to cater for thousands of users, but on the other hand do not require perfect consistency for user interaction and satisfaction.

ACKNOWLEDGEMENT

Textures used in the display of the experimental virtual world simulations presented in this paper, were taken from Paul Bourke's texture library at: (<http://astronomy.swin.edu.au/~pbourke/texture/>).

Yang-Wai Chow would like to acknowledge the support of the Information and Communication Technologies (ICT) scholarship provided by the Victorian Government of Australia, and also the Monash Faculty of Information Technology scholarship granted for this research.

REFERENCES

- Barrus, J.W., Waters, R.C. and Anderson, D.B., 1996. Locales: Supporting Large Multiuser Virtual Environments. *IEEE Computer Graphics and Applications*, Vol. 16, No. 6, pp. 50-57.
- Cai, W., Lee, F.B.S. and Chen, L., 1999. An Auto-adaptive Dead Reckoning Algorithm for Distributed Interactive Simulation. *Proceedings of the 13th Workshop on Parallel and Distributed Simulation*, Atlanta, Georgia, United States, pp. 82-89.
- Calvin, J., Dickens, A., Gaines, B., Metzger, P., Miller, D. and Owen, D., 1993. The SIMNET Virtual World Architecture. *Proceedings of the Virtual Reality Annual International Symposium (IEEE VRAIS '93)*, Seattle, United States, pp. 450-455.
- Capin, T.K., Esmerado, J. and Thalmann, D., 1999. A Dead-reckoning Technique for Streaming Virtual Human Animation. *IEEE Transactions on Circuits and Systems for Video Technology*, Vol. 9, No. 3, pp. 411-414.
- Caltagirone, S., Keys, M., Schlieff, B. and Willshire, M.J., 2002. Architecture for a Massively Multiplayer Online Role Playing Game Engine. *Journal of Computing Sciences in Colleges*, Vol. 18, Issue 2 (December 2002), pp. 105-116.
- Chen, K.T., Huang, P., Huang, C.Y. and Lei C.L., 2005. Game Traffic Analysis: An MMORPG Perspective. *Proceedings of the International Workshop on Network and Operating Systems Support for Digital Audio and Video (NOSSDAV '05)*, Stevenson, Washington, USA, pp. 19-24.
- Chow, Y.W., Pose, R. and Regan, M., 2005a. Large Object Segmentation and Region Priority Rendering. *Proceedings of the 28th Australasian Computer Science Conference (ACSC '05)*, Newcastle, NSW, Australia, pp.19-28.
- Chow, Y.W., Pose, R. and Regan, M., 2005b. Design Issues in Human Visual Perception Experiments on Region Warping. *Proceedings of the 2nd IADIS International Conference on Applied Computing 2005*, Algarve, Portugal, pp. 210-217.
- Chow, Y.W., Pose, R., Regan, M. and Phillips, J., 2006. Human Visual Perception of Region Warping Distortions. *Proceedings of the 29th Australasian Computer Science Conference (ACSC '06)*, Hobart, TAS, Australia, pp. 217-226.
- Diot, C. and Gautier, L., 1999. A Distributed Architecture for Multiplayer Interactive Applications on the Internet. *IEEE Network*, Vol. 13, No. 4, pp. 6-15.
- Dourish, P. and Bellotti, V., 1992. Awareness and Collaboration in Shared Workspaces. *Proceedings of the ACM Conference on Computer-Supported Cooperative Work (CSCW '92)*, Toronto, Ontario, Canada, pp. 107-114.
- Duncan, T.P., and Gračanin, D., 2003. Pre-reckoning Algorithm for Distributed Virtual Environment. *Proceedings of the 2003 Winter Simulation Conference*, Vol. 2, pp. 1086-1093.

A PRIORITY UPDATING COMMUNICATIONS MODEL FOR NETWORKED VIRTUAL ENVIRONMENTS

- Faisstnauer, C., Schmalstieg, D. and Purgathofer, W., 2000. Priority Scheduling for Networked Virtual Environments. *IEEE Computer Graphics and Applications*, Vol. 20, No. 6, pp. 66-75.
- Funkhouser, T.A., 1995. RING: A Client-Server System for Multi-User Virtual Environments. *Proceedings of SIGGRAPH 95, in Computer Graphics, Annual Conference Series 95*, Monterey, California, United States, pp. 85-92.
- Greenhalgh, C., 2001. Understanding the Network Requirements of Collaborative Virtual Environments. *In Collaborative Virtual Environments: Digital Places and Spaces for Interaction*. Churchill, E.F., Snowdon, D.N. and Munro, A.J. (eds). Springer-Verlag, London.
- Hofer, C.R. and Loper, M.L., 1995. DIS Today. *Proceedings of the IEEE*, Vol. 83, No. 8, pp. 1124-1137.
- Jehaes, T., Vleeschauwer, D.D., Coppens, T., Doorselaer, B.V., Deckers, E., Naudts, W., Spruyt, K. and Smets, R., 2003. Access Network Delay in Network Games. *Proceedings of the 2nd Workshop on Network and System Support for Games (NETGAMES '03)*, Redwood City, CA, pp. 63-71.
- Kim, J., Choi, J., Chang, D., Kwon, T., Choi, Y. and Yuk, E., 2005. Traffic Characteristics of a Massively Multi-player Online Role Playing Game. *Proceedings of the 4th ACM SIGCOMM Workshop on Network and System Support for Games (NETGAMES '05)*, Hawthorne, NY, pp. 1-8.
- Kirkke, J., 2003. South Korea Beats the World in Broadband Gaming. *IEEE Multimedia*, Vol. 10, No. 2, pp. 12-14.
- Lui, J.C.S., So, O.K.Y. and Tam, T.S., 1999. Deriving Communication Sub-Graph and Optimal Synchronizing Interval for a Distributed Virtual Environment System. *Proceedings of IEEE International Conference on Multimedia Computing and Systems*, Florence, Italy, Vol. 2, pp. 375-361.
- Macedonia, M.R., Zyda, M.J., Pratt, D.R., Brutzman, D.P. and Barham, P.T., 1995. Exploiting Reality with Multicast Groups. *IEEE Computer Graphics and Applications*, Vol. 15, No. 3, pp. 38-45.
- Matsumoto, N., Kawahara, Y., Morikawa, H. and Aoyama, T., 2004. A Scalable and Low Delay Communication Scheme for Networked Virtual Environments. *Global Telecommunications Conference Workshops, IEEE GlobeCom Workshops*, Dallas, Texas, pp. 529-535.
- Miller, D.C. and Thorpe, J.A., 1995. SIMNET: The Advent of Simulator Networking. *Proceedings of the IEEE*, Vol. 83, No. 8, pp. 1114-1123.
- Oliveira, M. and Henderson, T., 2003. What Online Gamers Really Think of the Internet? *Proceedings of the 2nd Workshop on Network and System Support for Games (NETGAMES '03)*, Redwood City, California, United States, pp. 185-193.
- Papargyris, A. and Poulymenakou, A. 2004. Learning to Fly in Persistent Digital Worlds: The Case of Massively Multiplayer Online Role Playing Games. *ACM SIGGROUP Bulletin*, Vol. 25, Issue 1 (January), pp. 41-49.
- Pantel, L. and Wolf, L.C., 2002a. On the Impact of Delay on Real-Time Multiplayer Games. *Proceedings of the 12th International Workshop on Network and Operating Systems Support for Digital Audio and Video (NOSSDAV '02)*, New York, USA, pp. 23-29.
- Pantel, L. and Wolf, L.C., 2002b. On the Suitability of Dead Reckoning Schemes for Games. *Proceedings of the 1st Workshop on Network and System Support for Games (NETGAMES '02)*, Braunschweig, Germany, pp. 79-84.
- Reddy, M., 1997. Perceptually Modulated Level of Detail for Virtual Environments. Ph.D. Thesis, University of Edinburgh.
- Regan, M. and Pose, R., 1993. An Interactive Graphics Display Architecture. *Proceedings of the Virtual Reality Annual International Symposium (IEEE VRAIS '93)*, Seattle, United States, pp. 293-299.
- Regan, M. and Pose, R., 1994. Priority Rendering with a Virtual Reality Address Recalculation Pipeline. *Proceedings of SIGGRAPH 94, in Computer Graphics, Annual Conference Series 94*, Orlando, Florida, United States, pp. 155-162.
- Seay, A.F., Jerome, W.J., Lee, K.S. and Kraut, R. 2003. Project Massive 1.0: Organizational Commitment, Sociability and Extraversion in Massively Multiplayer Online Games. *Proceedings of*

Level-Up, Conference of the Digital Games Research Association 2003 (DIGRA '03), University of Utrecht, The Netherlands.

Singhal, S. and Zyda, M., 1999. *Networked Virtual Environments: Design and Implementation*. Addison-Wesley.

Yamamoto, S., Murata, Y., Yasumoto, K. and Ito, M., 2005. A Distributed Event Delivery Method with Load Balancing for MMORPG. *Proceedings of the 4th ACM SIGCOMM Workshop on Network and System Support for Games (NETGAMES '05)*, Hawthorne, New York, pp. 1-8.

Zhou, S., Cai, W., Lee, B.S. and Turner, S.J., 2004. Time-Space Consistency in Large-Scale Distributed Virtual Environments. *ACM Transactions on Modeling and Computer Simulations*, Vol. 14, No. 1, pp. 31-47.